


## PRO-JACKS



Type	Capacity in tonne	Dimensions in mm	Max. lift height in mm
------	-------------------	------------------	------------------------

### Individual Pro-Jacks

<b>CLT1</b>	1	150 x 150	90
<b>CLT3</b>	3	200 x 200	115
<b>CLT6</b>	6	300 x 300	175
<b>CLT10</b>	10	380 x 380	220
<b>CLT14</b>	14	420 x 420	245
<b>CLT19</b>	19	510 x 510	295
<b>CLT24</b>	24	560 x 560	320
<b>CLT24L</b>	24	1000 x 320	215
<b>CLT30</b>	30	620 x 620	345
<b>CLT43</b>	43	750 x 750	410
<b>CLT54</b>	54	840 x 840	465
<b>CLT65</b>	65	920 x 920	515

### Pro-Jack Systems


<b>2CLT1L</b>	2	150 x 150	90
<b>2CLT3L</b>	6	200 x 200	115
<b>2CLT6L</b>	12	300 x 300	175
<b>2CLT10L</b>	20	380 x 380	220
<b>2CLT14L</b>	28	420 x 420	245
<b>2CLT19L</b>	38	510 x 510	295
<b>2CLT24L</b>	48	560 x 560	320
<b>2CLT24LL</b>	48	1000 x 320	215
<b>2CLT30L</b>	60	620 x 620	345
<b>2CLT43L</b>	86	750 x 750	410
<b>2CLT54L</b>	108	840 x 840	465
<b>2CLT65L</b>	130	920 x 920	515

An Pro-Jack System consists of 2 Pro-Jacks, 3 No 5 meter hoses and a handheld 2-way controller.  
Closed height of the Jacks: 25mm.

**AeroGo UK Ltd**  
Orchard Business Centre  
Orcard Road  
Royston  
Herts. SG8 5HD

Tel.: 01763 24 69 36  
Fax.: 01763 25 20 82  
info@aerogo-uk.co.uk  
www.aerogo-uk.co.uk

## PRO-JACKS



## Accessories

### Description

Hand held 1-way controller (simplified kit) 1 - 8 - 10 bar
Hand held 2-way controller (simplified kit) 1 - 8 - 10 bar
Hand held 1-way controller (push-button control) 1 - 8 - 10 bar
Hand held 2-way controller (push-button control) 1 - 8 - 10 bar
Hand held 2-way controller (joystick control) 1 - 8 - 10 bar
Hand held 3-way controller (joystick control) 1 - 8 - 10 bar
5 meter hose assembly (yellow - red - blue)
10 meter hose assembly (yellow - red - blue)



### AeroGo UK Ltd

Orchard Business Centre  
Orcard Road  
Royston  
Herts. SG8 5HD

Tel.: 01763 24 69 36  
Fax.: 01763 25 20 82  
info@aerogo-uk.co.uk  
www.aerogo-uk.co.uk

## PRO-JACKS

## Lift height vs Load

